Catalog # CD1-MY2101



#### Source

Monoclonal Anti-CD71 Antibody, Mouse IgG1 (5B5) is a Mouse monoclonal antibody recombinantly expressed from HEK293 cells.

# Clone CD71 Species Mouse Isotype Mouse IgG1 | Mouse Kappa Conjugate Unconjugated Antibody Type Recombinant Monoclonal Reactivity Human Immunogen Recombinant Human CD71 is expressed from human 293 cells.

Specifically recognizes Human CD71.

#### Application

Application	Recommended	Usage
ppncation	Recommended	Usuge

ELISA

0.1-63 ng/mL

## **Cross Verification**

This product No cross-reactivity in ELISA with Rat Transferrin R, His Tag (Cat. No. TFR-R5249). Mouse Transferrin R, His Tag (Cat. No. TFR-M524b).

Рп	rity
ιu	rity

>95% as determined by SDS-PAGE.

>90% as determined by SEC-MALS.

#### Purification

Protein A purified / Protein G purified

#### Formulation

Lyophilized from 0.22  $\mu$ m filtered solution in PBS, pH7.4 with trehalose as protectant.

Contact us for customized product form or formulation.

#### Reconstitution

Please see Certificate of Analysis for specific instructions.

For best performance, we strongly recommend you to follow the reconstitution protocol provided in the CoA.

#### Storage

For long term storage, the product should be stored at lyophilized state at -20°C or lower.

Please avoid repeated freeze-thaw cycles.

This product is stable after storage at:

- -20°C to -70°C for 12 months in lyophilized state;
- -70°C for 3 months under sterile conditions after reconstitution.

**SDS-PAGE** 

**SEC-MALS** 




>>> www.acrobiosystems.com

11/29/2024


# Monoclonal Anti-CD71 Antibody, Mouse IgG1 (5B5) (MALS verified)

Catalog # CD1-MY2101




Monoclonal Anti-CD71 Antibody, Mouse IgG1 (5B5) on SDS-PAGE under reducing (R) condition. The gel was stained with Coomassie Blue. The purity of the protein is greater than 95% (With <u>Star Ribbon Pre-stained Protein</u> <u>Marker</u>).

## **Bioactivity-ELISA**




Immobilized Human Transferrin R, His Tag (Cat. No. CD1-H5243) at 1  $\mu$ g/mL (100  $\mu$ L/well) can bind Monoclonal Anti-CD71 Antibody, Mouse IgG1 (5B5) (Cat. No. CD1-MY2101) with a linear range of 0.1-4 ng/mL (QC tested).


## **Bioactivity-SPR**



Captured Monoclonal Anti-CD71 Antibody, Mouse IgG1 (5B5) (Cat. No. CD1-MY2101) on CM5 chip via anti-mouse antibodies surface can bind Human Transferrin R, His Tag (Cat. No. CD1-H5243) with an affinity constant of 0.821 nM as determined in a SPR assay (Biacore 8K) (Routinely tested).



The purity of Monoclonal Anti-CD71 Antibody, Mouse IgG1 (5B5) (Cat. No. CD1-MY2101) is more than 90% and the molecular weight of this protein is around 135-160 kDa verified by SEC-MALS. <u>Report</u>



Immobilized Cynomolgus Transferrin R, His Tag (Cat. No. TFR-C524a) at 1  $\mu$ g/mL (100  $\mu$ L/well) can bind Monoclonal Anti-CD71 Antibody, Mouse IgG1 (5B5) (Cat. No. CD1-MY2101) with a linear range of 0.1-8 ng/mL (Routinely tested).









Catalog # CD1-MY2101



CD antigen CD71 is also known as Transferrin receptor protein 1, TfR, sTfR, p90, TfR1, Trfr, which belongs to the peptidase M28 family and M28B subfamily. CD71 /TFR contains one PA (protease associated) domain. CD71 / TfR1 is required for iron delivery from transferrin to cells. CD71 is a potential new target in cases of human leukomia & lymphoma. CD71 / TFRC / TfR has been shown to interact with GABARAP and HFE.

**Clinical and Translational Updates** 



>>> www.acrobiosystems.com

