

Limited Use & License Disclosure

BY USE OF THIS PRODUCT, RESEARCHER AGREES TO BE BOUND BY THE FOLLOWING TERMS OF LIMITED USE OF THIS CELL LINE PRODUCT.

- If the researcher is not willing to accept the terms of limited use of this cell line product, and the product is unused, ACRO will accept return of the unused product.
- Researchers may use this product for research use only, no commercial use is allowed.
 "Commercial use" means any and all uses of this product and derivatives by a party for profit or other consideration and may include but is not limited to use in: (1) product manufacture; and (2) to provide a service, information or data; and/or resale of the product or its derivatives, whether or not such product or derivatives are resold for use in research.
- This cell line is neither intended for any animal or human therapeutic purposes nor for any direct human in vivo use. You have no right to share, modify, transfer, distribute, sell, sublicense, or otherwise make the cell line available for use to other researchers, laboratories, research institutions, hospitals, universities, or service organizations.
- ACROBIOSYSTEMS MAKES NO WARRANTIES OR REPRESENTATIONS OF ANY KIND, EITHER EXPRESSED OR IMPLIED, WITH RESPECT TO THE SUITABILITY OF THE CELL LINE FOR ANY PARTICULAR USE.
- ACROBIOSYSTEMS ACCEPTS NO LIABILITY IN CONNECTION WITH THE HANDLING OR USE OF THE CELL LINE.
- Modifications of the cell line, transfer to a third party, or commercial use of the cell line may require a separate license and additional fees. Please contact <u>order.cn@acrobiosystems.com</u> for further details.



CHO/Human MRGPRX2 Stable Cell Line

Catalog No.	Size
SCCHO-ATP215	$2 \times (1 \text{ vial contains } \sim 5 \times 10^{6} \text{ cells})$

• Description

The CHO/Human MRGPRX2 Stable Cell Line was engineered to express the receptor full length human MRGPRX2 (Uniprot: Q96LB1). Surface expression of human MRGPRX2 was confirmed by flow cytometry.

• Application

• Useful for cell-based MRGPRX2 binding assay

• Cell Line Profile

Cell line	CHO/Human MRGPRX2 Stable Cell Line		
Host Cell	СНО		
Property	Adherent		
Complete Growth Medium	F-12K + 10% FBS		
Selection Marker	Puromycin (2 µg/mL)		
Incubation	37°C with 5% CO ₂		
Doubling Time	22-24 hours		
Transduction Technique	Lentivirus		



• Materials Required for Cell Culture

- F-12K Nutrient Mixture (Gibco, Cat. No. 21127-022)
- Fetal bovine serum (CellMax, Cat. No. SA211.02)
- Puromycin (InvivoGen, Cat. No. ant-pr-5b)
- 0.25% Trypsin-EDTA (1X), Phenol Red (Gibco, Cat. No. 25200-056)
- Penicillin-Streptomycin (Gibco, Cat. No. 15140-122)
- Phosphate Buffered Saline (1X) (HyClone, Cat. No. SH30256.01)
- Complete Growth Medium: F-12K + 10% FBS, 1%P/S
- Culture Medium: F-12K + 10% FBS, Puromycin (2 µg/mL), 1%P/S
- Freeze Medium: 90% FBS, 10% (V/V) DMSO
- T-75 Culture flask (Corning, Cat. No. 430641)
- Cryogenic storage vials (SARSTEDT, Cat. No. 72.379.007)
- Thermostat water bath
- Centrifuge (Cence, Model: L550)
- Cell counter (MONWEI, Model: SmartCell200A Plus)
- CO₂ Incubator (Thermo, Model: 3111)
- Biological Safety Cabinet (Thermo, Model: 1389)



• Recovery

- 1. Thaw the vial by gentle agitation in a 37°C water bath. To reduce the possibility of contamination, keep the cap out of the water. Thawing should be rapid (approximately 2 minutes).
- 2. Remove the vial from the water bath as soon as the contents are thawed, and decontaminate by spraying with 70% ethanol. All the operations from this point on should be carried out under strict aseptic conditions.
- 3. Transfer the vial contents to a centrifuge tube containing 4.0 mL complete growth medium and spin at approximately 1000 rpm for 5 minutes.
- 4. Resuspend cell pellet with 5 mL complete growth medium and transfer the cell suspension into T-75 flask containing 10-15 mL of pre-warmed complete growth medium.
- 5. Incubate at 37°C with 5% CO₂ incubator until the cells are ready to be split.

• Subculture

- 1. Remove and discard culture medium.
- 2. Wash the cells once with sterile PBS.
- 3. Add 3 mL of 0.25% trypsin to cell culture flask. Place the flask at 37°C for 5-7 minutes, until 90% of the cells have detached.
- 4. Add 6.0 to 8.0 mL of culture medium and aspirate cells by gently pipetting.
- 5. Add appropriate aliquots of the cell suspension to new culture vessel.
- 6. Incubate at 37°C with 5% CO₂ incubator.

Subcultivation Ratio: A subcultivation ratio of 1:6 to 1:10 is recommended.

Medium Renewal: Every 2 to 3 days.

Note: After recovery for 1-2 generations with the complete growth medium not containing the selection marker, if the cell state is well, changing to the culture medium containing the selection marker.



• Cryopreservation


- 1. Remove and discard spent medium.
- 2. Detach cells from the cell culture flasks with 0.25% trypsin.
- 3. Centrifuge at 1000 rpm for 5 min at RT to pellet cells.
- 4. Resuspend the cell pellets with complete growth medium and count viable cells.
- 5. Centrifuge at 1000 rpm for 5 min at RT and resuspend cells in freezing medium to a concentration of 5×10^6 to 1×10^7 cells/mL.
- 6. Aliquot into cryogenic storage vials. Place vials in a programmable cooler or an insulated box placed in a 80°C freezer overnight, then transferring to liquid nitrogen storage.

• Storage

- **Product format:** Frozen
- Storage conditions: Liquid nitrogen immediately upon receipt



• Receptor Assay



Catalog No.	Stable Cell Line	MFI for MRGPRX2 (PE)
NA	Negative Control Cell	58.86
SCCHO-ATP215	CHO/Human MRGPRX2 Stable Cell Line	62574.83

Fig1. Expression analysis of human MRGPRX2 on CHO/Human MRGPRX2 Stable Cell Line by FACS. Cell surface staining was performed on CHO/Human MRGPRX2 Stable Cell Line or negative control cell using PE-labeled anti-human MRGPRX2 antibody.



• Related Products

Products	<u>Cat.No.</u>
CHO/Human LIGHT Stable Cell Line Development Service	SCCHO-ATP109
CHO/Human BTLA Stable Cell Line Development Service	SCCHO-ATP110
CHO/Human TSHR Stable Cell Line Development Service	SCCHO-ATP085
CHO/Human LILRB4 Stable Cell Line Development Service	SCCHO-ATP087
 CHO/Human LILRB4 Stable Cell Line Development Service Raji/Membrane-Bound Human TL1A Stable Cell Line Development Service Human DR3 (TL1A receptor) (Luc) Jurkat Reporter Cell Development Service Raji/Human HVEM Stable Cell Line Development Service Human TSLP R (Luc) HEK293 Reporter Cell STAT3 (Luc) HEK293 Reporter Cell Human IL-5 R alpha/CD131 (Luc) HEK293 Reporter Cell Line HEK293/Human OX40 / TNFRSF4 / CD134 Stable Cell Line HEK293/Human OX40 Ligand / TNFSF4 Stable Cell Line HEK293/Human FcRn (FCGRT & B2M) Stable Cell Line Human IL-11 R alpha (Luc) HEK293 Reporter Cell Human IL-21 R/CD132 (Luc) HEK293 Reporter Cell Human IL-31 RA/OSMR (Luc) HEK293 Reporter Cell 	SCCHO-ATP087 SCRAJ-STT204 SCJUR-STF178 SCRAJ-STF108 CHEK-ATF045 CHEK-ATF047 CHEK-ATF074 CHEK-ATF053 CHEK-ATP054 CHEK-ATP079 CHEK-ATF052 CHEK-ATF051 CHEK-ATF051 CHEK-ATF094
Human IL-10 R alpha/IL-10 R beta (Luc) HEK293 Reporter Cell	CHEK-ATF095
Human CD40 (Luc) HEK293 Reporter Cell	CHEK-ATF097
Human IL-7 R alpha/CD132 (Luc) HEK293 Reporter Cell	CHEK-ATF099
NIH-3T3/Human IGF-1 R Stable Cell Line Development Service	CNIH-ATP102
Human HVEM (Luc) HEK293 Reporter Cell	CHEK-ATF105
Human BTLA (Luc) Jurkat Reporter Cell Development Service	SCJUR-STF106
Human IGF-1 R (Luc) HEK293 Reporter Cell	CHEK-ATF107
Human GLP-2R (Luc) HEK293 Reporter Cell	CHEK-ATF128
Human RANK (Luc) HEK293 Reporter Cell	CHEK-ATF129
HEK293/FcRn (FCGRT & B2M), GFP Tag Stable Cell Line	CHEK-ATP132
HEK293/Human TSHR Stable Cell Line	CHEK-ATP086



• Related Products

Products	<u>Cat.No.</u>
HEK293/Human LILRB4 Stable Cell Line	CHEK-ATP088
HEK293/Human TL1A Stable Cell Line	CHEK-ATP142
Human IL-17 RA/IL-17 RC (Luc) HEK293 Reporter Cell	CHEK-ATF133
Human OX40 (Luc) HEK293 Reporter Cell	CHEK-ATF135
Human IL-2 R beta/IL-2 R gamma (Luc) HEK293 Reporter Cell	CHEK-ATF136
HEK293/Human HVEM Stable Cell Line	CHEK-ATP147
Human IL-23 R/IL-12 R beta 1(Luc) HEK293 Reporter Cell	CHEK-ATF166
Human IL-22 R alpha 1/IL-10 R beta (Luc) HEK293 Reporter Cell	CHEK-ATF167
HEK293/Human CD40 Ligand / TNFSF5 Stable Cell Line	CHEK-ATP041
Human TSHR (Luc) HEK293 Reporter Cell	CHEK-ATF187
Human PTH1R (Luc) HEK293 Reporter Cell	CHEK-ATF194
HEK293/Membrane-Bound human TL1A Stable Cell Line	CHEK-ATP198
Human TACI (Luc) HEK293 Reporter Cell	CHEK-ATF197